

1/31/2017


Quiz 1

MATH 105, Spring 2016

Name (Please print): KEY

Answer the following questions, showing all work where appropriate.

1. (5 pts) Consider the function $f(x)$ given by the graph below:



Give the following limits, and if the limit does not exist, please write "DNE".

$$\lim_{x \rightarrow 1} f(x) = 3 \quad (\text{although } f(1) = 1)$$

$$\lim_{x \rightarrow 2} f(x) = -1 \quad (\text{and } f(2) = -1 \text{ as well})$$

$$\lim_{x \rightarrow 3} f(x) = \text{DNE} \quad (\text{different behavior on either side})$$

$$\lim_{x \rightarrow 4} f(x) = \text{DNE} \quad (\text{vertical asymptote})$$

$$\lim_{x \rightarrow 5} f(x) = 2 \quad (\text{even though } f(5) \text{ DNE})$$

2. (5 pts) Compute the following limits, showing all work and giving explanation if necessary.

$$(a) \lim_{x \rightarrow 2} (x - 7) = 2 - 7 = -5 \quad (\text{just plug in})$$

$$(b) \lim_{x \rightarrow 2} \frac{x + 2}{x - 2} = \text{DNE} \quad \text{since } \frac{\neq}{0}$$

$$(c) \lim_{x \rightarrow 2} \frac{x - 2}{x + 2} = \frac{0}{4} = 0 \quad (\text{just plug in})$$

$$(d) \lim_{x \rightarrow 2} \frac{x^2 - x - 2}{x - 2} = \lim_{x \rightarrow 2} \frac{(x-2)(x+1)}{(x-2)} = \lim_{x \rightarrow 2} (x+1) = 3$$

since "lim" ignores $x=2$

$$(e) \lim_{x \rightarrow -2} \frac{x^2 - x - 2}{x - 2} = \frac{4 - (-2) - 2}{-2 - 2} = \frac{4}{-4} = -1$$

3. (3 pts) Let $f(x) = x^2$. Note that: $\frac{f(x+h) - f(x)}{h} = \frac{2xh + h^2}{h}$.

Compute

$$\lim_{h \rightarrow 0} \frac{f(x+h) - f(x)}{h} = \lim_{h \rightarrow 0} \frac{2xh + h^2}{h}$$

$$= \lim_{h \rightarrow 0} \frac{\cancel{h} (2x+h)}{\cancel{h}}$$

$$= \lim_{h \rightarrow 0} (2x+h)$$

$$= 2x + 0$$

$$= \boxed{2x}$$

since "lim"
ignores
 $h=0$

just plug in, now

4. (2 pts) For a function $f(x)$, explain the difference between the notions of *instantaneous rate of change*, and *average rate of change*.

(Your answer should be about three *complete sentences*.)

The a.r.o.c. of f measures change across an interval. The i.r.o.c. measures a rate of change at a particular instant (or point).

5. (5 pts) You will open a factory to produce widgets and sell them from a small store nearby. These widgets cost \$5 to produce (each), and your fixed (overhead) cost is \$200. You pay a firm to help you price the widgets, and they inform you that if x is the number of widgets, then the demand function $p = D(x)$ is a linear function: at $x = 5$, $p = \$30$, and at $x = 25$, $p = \$10$.

Write down the *profit* function (P as a function of x) and simplify to the standard (unfactored) form for a polynomial.

To find $p = D(x)$ create a line from $(5, 30) + (25, 10)$. $m = \frac{30-10}{5-25} = -1$

$$p - 10 = -1(x - 25) \Rightarrow p = D(x) = -x + 35$$

$$\text{Thus } R(x) = xp = xD(x) = x(-x + 35) = -x^2 + 35x$$

$$C(x) = 5x + 200$$

$$\text{So } P(x) = R(x) - C(x)$$

$$= -x^2 + 35x - [5x + 200] = \boxed{-x^2 + 30x - 200}$$

(Bonus) (+3 pts) Write down the break-even points for the profit function you found above.

$$P(x) = -x^2 + 30x - 200$$

$$= -1(x^2 - 30x + 200)$$

$$= -1(x - 10)(x - 20)$$

BER are zeros of $P(x)$:

$$\boxed{x = 10 + x = 20} \text{ units}$$